



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200  
Fax 613 632-5246

**D3552-11**  
**Job Sheet 204284**

Part No: D3552-11

Part Name: Door Prop

Part Weight: 0 lbs

Job Created: 12/5/19

Due Date: 12/17/19

Type: Stock

Note: DWG D3552 Rev M IPP Rev:B 09-04-20 rev.d as per dwg DD verified by:EC IPP Rev:C as per dwg RevE DD 10.02.17 verified by:EC IPP Rev:D 10.12.03 as per dwg rev.G DD verf:EC/ IPP Rev E 18.04.05 Rev M DP Verify DD

Ship Via:

Job Qty: 6 pcs

Status: New

Priority: Medium

Job Tracking No:

Created By: Chantal Lavoie

Description:

Bill of Materials

Job Routing

| Op No | Operation                     | Qty   | Start Date | Due Date | Standard Setup Run Hrs Hrs | Workcenter/Supplier    | Sign-off |
|-------|-------------------------------|-------|------------|----------|----------------------------|------------------------|----------|
| 100   | Purchasing                    | 6 pcs | 12/17/19   | 12/17/19 | 0.00 0.00                  | Purchasing - 1         |          |
|       |                               |       |            |          |                            | Purchasing - 2         |          |
|       |                               |       |            |          |                            | Purchasing - 3         |          |
| 110   | Packaging 2-1 - Receive - B4B | 6 pcs | 12/17/19   | 12/17/19 | 0.00 0.00                  | Packaging 2 - 1 - B4B  |          |
|       |                               |       |            |          |                            | Packaging 2 - 2 - B4B  |          |
|       |                               |       |            |          |                            | Packaging 2 - 3 - B4B  |          |
|       |                               |       |            |          |                            | Packaging 2 - 5 - B4B  |          |
|       |                               |       |            |          |                            | Packaging 2 - 4 - B4B  |          |
|       |                               |       |            |          |                            | Packaging 2 - 6 - B4B  |          |
|       |                               |       |            |          |                            | Packaging 2 - 7 - B4B  |          |
|       |                               |       |            |          |                            | Packaging 2 - 8 - B4B  |          |
|       |                               |       |            |          |                            | Packaging 2 - 9 - B4B  |          |
|       |                               |       |            |          |                            | Packaging 2 - 10 - B4B |          |
|       |                               |       |            |          |                            | Packaging 2 - 11 - B4B |          |
|       |                               |       |            |          |                            | Packaging 2 - 12 - B4B |          |
|       |                               |       |            |          |                            | Packaging 2 - 13 - B4B |          |
|       |                               |       |            |          |                            | Packaging 2 - 14 - B4B |          |
|       |                               |       |            |          |                            | Packaging 2 - 15 - B4B |          |
|       |                               |       |            |          |                            | Packaging 2 - 16 - B4B |          |
|       |                               |       |            |          |                            | Packaging 2 - 17 - B4B |          |
|       |                               |       |            |          |                            | Packaging 2 - 18 - B4B |          |
|       |                               |       |            |          |                            | Packaging 2 - 19 - B4B |          |
|       |                               |       |            |          |                            | Packaging 2 - 20 - B4B |          |
|       |                               |       |            |          |                            | Packaging 2 - 21 - B4B |          |
|       |                               |       |            |          |                            | Packaging 2 - 22 - B4B |          |
|       |                               |       |            |          |                            | Packaging 2 - 23 - B4B |          |
|       |                               |       |            |          |                            | Packaging 2 - 24 - B4B |          |
|       |                               |       |            |          |                            | Packaging 2 - 25 - B4B |          |
|       |                               |       |            |          |                            | Packaging 2 - 26 - B4B |          |
|       |                               |       |            |          |                            | Packaging 2 - 27 - B4B |          |

<



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
CANADA  
TEL.: 1 613 632-5200  
Email: sales@dartaero.com  
www.dartaerospace.com

Container No: S240858  
  
Part: D3552-11  
Job No: 204284  
Serial No/Batch: S240858  
Revision: M  
Inspector:  
Exp Date:  
Instructions: Various STC's  
Date: 12/16/19


|                                 |       |          |           |                        |                        |
|---------------------------------|-------|----------|-----------|------------------------|------------------------|
| 120 QC 6                        | 6 pcs | 12/17/19 | 0.00 0.00 | Packaging 2 - 28 - B4B |                        |
|                                 |       |          |           | Packaging 2 - 29 - B4B |                        |
|                                 |       |          |           | Packaging 2 - 30 - B4B |                        |
|                                 |       |          |           | Packaging 2 - 31 - B4B |                        |
|                                 |       |          |           | Packaging 2 - 32 - B4B |                        |
|                                 |       |          |           | Packaging 2 - 33 - B4B |                        |
|                                 |       |          |           | Packaging 2 - 34 - B4B |                        |
|                                 |       |          |           | Packaging 2 - 35 - B4B |                        |
|                                 |       |          |           | Packaging 2 - 36 - B4B |                        |
|                                 |       |          |           | QC 6 - 9               | DAS                    |
|                                 |       |          |           | QC 6 - 68              | JAN 08 2020 68         |
|                                 |       |          |           | QC 6 - 61              | 9-89                   |
|                                 |       |          |           | QC 6 - 40              |                        |
|                                 |       |          |           | QC 6 - 81              |                        |
|                                 |       |          |           |                        |                        |
| 130 Packaging 3-1 - Stock - B4B | 6 pcs | 12/17/19 | 0.00 0.00 | Packaging 3 - 1 - B4B  |                        |
|                                 |       |          |           | Packaging 3 - 2 - B4B  |                        |
|                                 |       |          |           | Packaging 3 - 3 - B4B  | DAS                    |
|                                 |       |          |           | Packaging 3 - 4 - B4B  | 57 3/63 74 JAN 08 2020 |
|                                 |       |          |           | Packaging 3 - 5 - B4B  | 9-89                   |
|                                 |       |          |           | Packaging 3 - 6 - B4B  |                        |
|                                 |       |          |           | Packaging 3 - 7 - B4B  |                        |
|                                 |       |          |           | Packaging 3 - 8 - B4B  |                        |
|                                 |       |          |           | Packaging 3 - 9 - B4B  |                        |
|                                 |       |          |           | Packaging 3 - 10 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 11 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 12 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 13 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 14 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 15 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 16 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 17 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 18 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 19 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 20 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 21 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 22 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 23 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 24 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 25 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 26 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 27 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 28 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 29 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 30 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 31 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 32 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 33 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 34 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 35 - B4B |                        |
|                                 |       |          |           | Packaging 3 - 36 - B4B |                        |
| 140 QC 21 - SA                  | 6 pcs | 12/17/19 | 0.00 0.00 | QC 21 - SA - 21        |                        |
|                                 |       |          |           | QC 21 - SA - 70        | JAN 08                 |
|                                 |       |          |           | QC 21 - SA - 53        | DAS                    |
|                                 |       |          |           | Broussard              | 21 JAN 08 2020         |

Part Op 100 - (Purchasing) Issue P/O: \_\_\_\_\_ Purchase Part Number: B8-240-575-150N Supplier: LS Technologies  
Descriptions: Certificate of conformity is required  
110 - (Receive & Inspect for Damage & Mat'l Certs) Ensure certificate of conformity is attached  
120 - QC6- All purchased or subcontracted products) Test for correct pressure  
130 - (Identify as per dwg & Stock Location: \_\_\_\_\_)  
140 - (QC21- Final inspection - Work Order Release)

| Job BOM                            |                     |              |                |           |
|------------------------------------|---------------------|--------------|----------------|-----------|
| Part / Item                        | Component Name      | Quantity     | Operation      | Container |
| B8-240-575-150N                    | Gas Spring D3552-11 | 6 pcs (1 ea) | 100-Purchasing | SZ40846   |
| Job Allocations                    |                     |              |                |           |
| Operation                          | Component Part      | Required     | Inventory      | Allocated |
| 100-Purchasing                     | B8-240-575-150N     | 6            | 0              | 0         |
| Part Specifications                |                     |              |                |           |
| Specifications could not be found. |                     |              |                |           |

Plex 12/5/19 1:31 PM Dart.Lavoie.Chantal

SPECIFICATION CONTROL DRAWING



RELEASED  
2018 APR 02  
2018-05

APPROVED

|            |                                                                                                                                                                                                            |     |          |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------|
| M          | ADD PIN D3552-31, REF CR18-114, UPDATED PIN D3552-101/105, ADDED PIN D3552-103, REVISED NOTE 9, ADDED NOTE 4                                                                                               | WK  | 18.03.20 |
| L          | ADD PIN D3552-25                                                                                                                                                                                           | VS  | 18.04.13 |
| K          | ADD 'K' TO LA TECHNOLOGIES P/Ns TO DESIGNATE 'EXTRA DUMPING' FOR D3552-13-17-19-23-27.                                                                                                                     | MB  | 12.07.10 |
| J          | ADD PIN D3552-24-27, REMOVE ALTERNATE PART NUMBER FOR -16, -17 AND -18, STROKE FOR -13, -17 AND -18 WAS 100MM, NOW 150MM, EXTENDED LENGTH FOR -13-17 AND -18 WAS 35015.1 NOW 35115.2                       | AP  | 11.12.07 |
| I          | ADD PIN D3552-23                                                                                                                                                                                           | RF  | 11.03.11 |
| H          | ADD PIN D3552-21                                                                                                                                                                                           | DC  | 11.03.10 |
| G          | FOR -13, FORCE 2000ST 6 VRS 400/80.8, SUPPLIER PIN B2-184-387-3001 WAS B2-184-387-4005 FOR -17, STROKE: 1345.41 VRS 1500.39, 1571.12, 2001.2 WAS 4075.0, SUPPLIER PIN B2-184-387.1 B20 VRS B2-187-405-100V | JPH | 10.11.01 |
| F          | ADD PIN D3552-13/17/19 AND ALTERNATE SUPPLIER                                                                                                                                                              | JPH | 10.07.27 |
| E          | ADD PIN D3552-13 ZN B2-1, AS-1, D6-1, CHANGE NAME FROM 'GAS SPRING' TO 'DOOR PROP' THROUGH OUT DWG                                                                                                         | HS  | 10.02.03 |
| D          | ADD PIN D3552-101 ZN D6-1, C2-1, C1-1 AND D3552-103 ZN D1-1 AND C1-1 AND ZN B2-1; ADD NOTE REGARDING D3552-101 AND D3552-103 COMPATIBILITY ZN AB-1                                                         | HS  | 09.04.02 |
| C          | ADD D3552-11 AND CONVERSIONS FOR INSPECTION; UPDATE PIN FOR D3552-2                                                                                                                                        | LE  | 07.08.01 |
| B          | ADD D3552-7/9; UPDATE DESC. D3552-1/3/4                                                                                                                                                                    | LE  | 06.10.04 |
| A          | NEW ISSUE                                                                                                                                                                                                  | LE  | 06.08.15 |
| REV.       | DESCRIPTION                                                                                                                                                                                                | BY  | DATE     |
| DESIGN     | VS                                                                                                                                                                                                         |     |          |
| DRAWN      | WK                                                                                                                                                                                                         |     |          |
| CHECKED    | RF                                                                                                                                                                                                         |     |          |
| MFG. APPR. | RA                                                                                                                                                                                                         |     |          |
| APPROVED   | HS                                                                                                                                                                                                         |     |          |
| DE APPR.   | DS                                                                                                                                                                                                         |     |          |
| DATE       | 18.03.20                                                                                                                                                                                                   |     |          |

|                                                    |    |    |                  |    |    |
|----------------------------------------------------|----|----|------------------|----|----|
| VS                                                 | WK | RF | RA               | HS | DS |
| DART AEROSPACE LTD<br>HAMMERSBURY, ONTARIO, CANADA |    |    |                  |    |    |
| DRAWING NO.<br>D3552                               |    |    | REV. M           |    |    |
| TITLE<br>DOOR PROP                                 |    |    | SHEET 1 OF 2     |    |    |
| SCALE<br>NTS                                       |    |    | DATE<br>18.03.20 |    |    |



| DART PART NUMBER | DESCRIPTION               | STROKE (mm/in) | EXTENDED LENGTH (mm/in) | FORCE (N/lb) | END FITTING            | MATERIAL     | SUPPLIER        | SUPPLIER PART NUMBER OR MODEL NUMBER |
|------------------|---------------------------|----------------|-------------------------|--------------|------------------------|--------------|-----------------|--------------------------------------|
| D3552-1          | DOOR PROP                 | 220/8.69       | 590/23.6                | 70/15.7      | 10mm SS BALL SOCKET    | CARBON STEEL | LS TECHNOLOGIES | C8-220-530-070N                      |
| D3552-3          | DOOR PROP                 | 220/7.87       | 490/19.3                | 200/45.0     | 10mm SS BALL SOCKET    | CARBON STEEL | LS TECHNOLOGIES | C8-200-490-200N                      |
| D3552-5          | DOOR PROP                 | 175/6.89       | 430/16.9                | 150/33.7     | 10mm SS BALL SOCKET    | CARBON STEEL | LS TECHNOLOGIES | C8-175-430-150N                      |
| D3552-7          | DOOR PROP                 | 220/8.69       | 530/20.9                | 70/15.7      | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-220-530-070N                      |
| D3552-9          | DOOR PROP                 | 200/7.87       | 480/19.3                | 200/45.0     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-200-480-200N                      |
| D3552-11         | DOOR PROP                 | 240/9.45       | 575/22.6                | 150/33.7     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-240-575-150N                      |
| D3552-13         | DOOR PROP                 | 220/8.69       | 530/20.9                | 140/31.5     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-220-530-140N                      |
| D3552-15         | DOOR PROP W/EXTRA DAMPING | 154/6.06       | 387/15.2                | 300/67.4     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-154-387-300N/K                    |
| D3552-17         | DOOR PROP W/EXTRA DAMPING | 154/6.06       | 387/15.2                | 168/38.1     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-154-387-168N/K                    |
| D3552-19         | DOOR PROP W/EXTRA DAMPING | 154/6.06       | 387/15.2                | 60/13.6      | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-154-387-60N/K                     |
| D3552-21         | DOOR PROP                 | 187/7.57       | 410/16.1                | 70/15.7      | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-187-410-070N                      |
| D3552-23         | DOOR PROP                 | 190/7.48       | 475/18.7                | 70/15.7      | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-190-475-070N                      |
| D3552-25         | DOOR PROP W/EXTRA DAMPING | 148/5.83       | 475/18.7                | 300/67.4     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-148-475-300N/K                    |
| D3552-27         | DOOR PROP W/EXTRA DAMPING | 148/5.83       | 475/18.7                | 158/35.1     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-148-475-158N/K                    |
| D3552-29         | DOOR PROP                 | 190/7.48       | 475/18.7                | 100/22.5     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-190-475-100N                      |
| D3552-31         | DOOR PROP                 | 190/7.48       | 475/18.7                | 147/33.0     | 10mm NYLON BALL SOCKET | CARBON STEEL | LS TECHNOLOGIES | B8-190-475-147N                      |
| D3552-101        | CLIP                      | N/A            | N/A                     | N/A          | N/A                    | CARBON STEEL | LS TECHNOLOGIES | C8-5                                 |
| D3552-103        | BALL SOCKET END           | N/A            | N/A                     | N/A          | N/A                    | NYLON        | LS TECHNOLOGIES | B8                                   |
| D3552-105        | BALL SOCKET END           | N/A            | N/A                     | N/A          | N/A                    | NYLON        | LS TECHNOLOGIES | B8                                   |

D3552-X DOOR PROP

RELEASED  
2018 APR 02

NOTES:

- 1) IDENTIFICATION: IDENTIFY PER Q81 044 6.2  
2) D3552-101 CLIP IS ONLY COMPATIBLE WITH D3552-1/3/5 DOOR PROPS  
3) D3552-103 BALL SOCKET END IS COMPATIBLE WITH D3552-13/17/23/25/31 DOOR PROPS  
4) D3552-105 BALL SOCKET END IS COMPATIBLE WITH D3552-7/9/11/15/17/19/25/27 DOOR PROPS

APPROVED

|            |          |                                        |              |
|------------|----------|----------------------------------------|--------------|
| DESIGN     | VS       | DART AEROSPACE LTD                     |              |
| DRAWN      | WK       | HAMKEBURY, ONTARIO, CANADA             |              |
| CHECKED    | RF       | DRAWING NO.                            | REV. M       |
| MFG. APPR. | RA       | D3552                                  | SHEET 2 OF 2 |
| APPROVED   | HS       | TITLE                                  | SCALE        |
| DE APPR.   | DE       | DOOR PROP                              | NTS          |
| DATE       | 18.03.20 | COPYRIGHT © 2008 BY DART AEROSPACE LTD |              |



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200  
Fax 613 632-5246

## ORDER ACKNOWLEDGEMENT

### CUSTOMER

Customer Code: CACEN01

Sold To: Air Center Helicopters Inc  
308 East Renfro, Suite 104  
Burleson, TX 76028  
USA  
Phone: (817) 624-6300  
Fax: (817) 624-6309

Ship To: Air Center Helicopters Inc  
13551 Wing Way, Suite 101  
Burleson, TX 76028  
USA

### ORDER

Order No : 21771

Date: 12/5/19

Ship-To Contact: Logan West

Email: lwest@achi-tx.com

Cust PO No: 451/473AC - CASE 13517

FOB: Shipping Point

Ship Via: See comments below

Freight Terms: PrePaid

Terms: Prepay

INCO Terms: DDP - Delivered Duty Paid

Order Taker: Virginie Legault

Order Taker Phone:

Order Taker Email: vlegault@dartaero.com

| Line No     | Due Date | Ship Date | Part     | Description/Note       | Quantity | Unit | Price      | Unit | Extended Price |
|-------------|----------|-----------|----------|------------------------|----------|------|------------|------|----------------|
| 1           | 12/5/19  | 12/16/19  | D3552-11 | Door Prop              | 4        | pcs  | \$63.00USD | pcs  | \$252.00 USD   |
|             |          |           |          | 100% Discount Warranty |          |      | -100.00    |      | \$-252.00      |
| Sub Total   |          |           |          |                        |          |      |            |      | \$0.00 USD     |
| Grand Total |          |           |          |                        |          |      |            |      | \$0.00 USD     |

### ORDER NOTES

Ship via HB's account priority international

Remit to: DART Aerospace Ltd., 1270 Aberdeen Street, Hawkesbury, Ontario K6A 1K7 Canada

Tel: 613 632 5200

Fax: 613 632 5246

accounting@dartaero.com

GST/HST 10127 2607

Note: A minimum 15% restocking fee is applicable. Custom items are non-refundable. Full warranty details are available at [www.dartaerospace.com](http://www.dartaerospace.com)

#### International / US Wires:

Swift Code: CHASUS33 Bank Routing #: 021000021 Account #: 133281000

Bank Name: JPMorgan Chase Bank 201 St. Charles Ave., New Orleans, LA USA 70170

Account Name: DART Aerospace Ltd.

Notification October 2018: Our banking information has remained unchanged

Latest Revision Provided Unless Otherwise Requested

Plex 12/5/19 1:05 PM Dart.Legault.Virginie



Dart Aerospace Ltd.

1270 Aberdeen St

Hawkesbury, ON

K6A 1K7

Canada

Tel (613) 632-5200

PURCHASE ORDER

POHB045325



Supplier: LST001-VC

LS Technologies Inc.

1634 Saskatchewan Ave.

Saskatoon

SK

S7K 1P6 Canada

Phone: 306 683 5000

Fax: 306 683 6403

PO No: POHB045325

PO Date: 12/5/19

Due Date: 12/12/19

Purchase Order Revision:

Revision Date: DEC 9 6 2019

Ship-To Contact: Lavoie, Chantal

Phone: 613-623-5200 Ext: 242

Fax: 613-632-1053

clavoie@dartaero.com

Ship To: 1270 Aberdeen Street

Hawkesbury

ON

K6A 1K7 Canada

Phone: 613-632-5200

Via: Ground

Pymt Terms: Net 30

Freight Terms:

Special Comments:

| Items        |        |                 |         |                  |         |                                                |            |         |          |                |                   |         |                  |                |
|--------------|--------|-----------------|---------|------------------|---------|------------------------------------------------|------------|---------|----------|----------------|-------------------|---------|------------------|----------------|
| Line Item    | Job    | Part            | Drawing | Supplier Part No | Item No | Description                                    | Status     | Account | Due Date | Order Quantity | Received Quantity | Balance | Unit Price (CAD) | Extended Price |
| 1            | 204284 | B8-240-575-150N |         |                  |         | Gas Spring D3552-11<br>As Per Dwg D3552 Rev. M | Firmed X6  | -       | 12/12/19 | 6 pcs          | 0 pcs             | 6 pcs   | \$41.36/pcs      | \$248.16       |
| 2            | 204287 | B8-154-382-050N |         |                  |         | Gas Spring D5479-1<br>As Per Dwg D5479 Rev. A  | Firmed X10 | -       | 12/12/19 | 10 pcs         | 0 pcs             | 10 pcs  | \$38.90/pcs      | \$389.00       |
| Grand Total: |        |                 |         |                  |         |                                                |            |         |          |                |                   |         | \$637.16         |                |

Order Notes

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Procurement Quality Clauses

A005 RIGHT OF ENTRY

A007 FIRST ARTICLE INSPECTION (FAI) BY SELLER, (DOCUMENTATION MAINTAINED BY SUPPLIER)

A012 CHEMICAL AND PHYSICAL TEST REPORTS

A016 PERSONNEL QUALIFICATION

A017 RAW MATERIAL IDENTIFICATION (AS APPLICABLE)

A026 CERTIFICATION OF MATERIAL CONFORMANCE

A041 QUALITY MANAGEMENT SYSTEM

A042 DART NOTIFICATION BY SUPPLIER

A043 RETENTION OF QUALITY DOCUMENT

A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM

A049 SUPPLIER AWARENESS

Plex 12/5/19 2:57 PM Dart.Lavoie.Chantal

Packing Slip

LS TECHNOLOGIES INC  
1634 Saskatchewan Ave  
Saskatoon, SK S7K 1P6

|            |            |           |
|------------|------------|-----------|
| P.O. No.   | Date       | Invoice # |
| POHB045325 | 12/11/2019 | 21641     |

Bill to:

Dart Aerospace Ltd  
1270 Aberdeen St.  
Hawkesbury, ON K6A 1K7

Ship to:

Main Finished Goods Location  
Dart Aerospace Ltd  
1270 Aberdeen St.  
Hawkesbury, ON K6A 1K7

|            |        |
|------------|--------|
| Ship       | Via    |
| 12/11/2019 | Fed-Ex |

| Qty                                                         | Description                 |
|-------------------------------------------------------------|-----------------------------|
| 6                                                           | D3552-11 #204284 Gas Spring |
| 10                                                          | D5479-1 #204287 Gas Spring  |
| Shipping Via FED EX Tracking # 777219474235                 |                             |
| <div>RECEIVED<br/>DEC 16 2019<br/>DART AEROSPACE LTD.</div> |                             |

Order checked by : 





LS Technologies Inc

1634 Saskatchewan Ave,  
Saskatoon, SK S7K 1P6  
Ph: (306) 683-5000 Fax: (306) 683-6403

**Certificate of Compliance**

Dec 12, 2019

This is to certify that the parts listed below meets specifications as required by your order.

6 Units: D3552-11 #204284 Gas Spring

10 Units: D5479-1 #204287 Gas Spring

Country of Manufacture: Canada

Date of Manufacture: December 2019

This product is ROHS compliant.

Purchase Order # **POHB045325**

Invoice # 21641

L S Technologies Inc Canada

Nolan Fehr  
President